

Morphbank: An Avenue to Document and Disseminate Anatomical Data. I: Phylogenetic Test Case

PRIETO-MARQUEZ' , Albert; ERICKSON', Gregory M.; SELTMANN², Katja; RONQUIST², Fredrik; RICCARDI³, Gregory A.; MANEVA-JAKIMOSKA², Carolina; JAMMIGUMPULA², Neelima; MAST', Austin; WINNER², Steve; BLANCO², Wiffredo; DEANS², Andy; GAITROS⁴, David; PAUL², Debbie; and GAITROS², Cynthia

'Department of Biological Science, Florida State University, Tallahassee, FL 32306-1100, USA. ²School of Computational Science, Florida State University, Tallahassee, FL 32306-4120, USA. ³College of Information, Florida State University, Tallahassee, FL 32306-4530, USA. ⁴Department of Computer Science, Florida State University, Tallahassee, FL 32306-4530, USA.

WHAT IS MORPHBANK?

Morphbank (http://www.morphbank.net) is an open web repository for digital images utilized in specimen-based biological research. Established in 1998 by a consortium of systematic entomologists, Morphbank serves as a permanent archive to store and distribute images from any of the anatomical sciences. Here, we show its application to phylogenetic studies.

HOW CAN MORPHBANK BE USED TO DISCOVER, ORGANIZE, AND DOCUMENT MORPHOLOGICAL PHYLOGENTIC CHARACTERS?

Matrices of character codings can be created or generated from a nexus file imported to Morphbank. Each collection of images illustrates a character. Alternatively, collections of images can be used to conduct direct anatomical comparisons among specimens in order to assess or discover new characters. Authors can link matrices published in journals to matrices or collections in Morphbank, supplementing the amount of images or data attached to it.



A matrix of characters from a phylogeny is utilized, in this case that for hadrosauriform dinosaurs. Character 16 is the focus of this example

	Characters									
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-47
L bernissartensis	00000	00000	00000	00000	00000	00000	00190	00020	00000	0.0
P. byrdi	17777	77200	10100	00077	20077	00770	00000	77777	77727	77
B. canadensis	21110	21121	02111	11010	10011	10011	00220	11011	01010	11
E. annectens	31110	21131	02113	11011	10000	00021	00110	11121	01010	10
Gryposaurus sp.	21110	21111	01112	11010	10010	10001	00120	11171	01010	10
H. stebingeri	21111	11101	11110	00177	01100	01121	11011	21101	11111	10
M. peeblesonum	21110	21111	02111	11000	10011	20071	00220	11011	01010	11
P. blackfeetensis	21110	21121	01112	11011	10012	10001	00111	11101	01010	10
S. osborni	31110	21111	0?112	01001	10012	10001	00111	21171	01000	1?
T. transsylvanicus	01011	11001	02000	20000	00000	00021	00200	00???	02222	22

Character 16 is the the position of the jugal joint in the maxilla of hadrosauroid dinosaurs


Character 16, State 0

Jugal rostral process elevated relative to lateral margin of ectopterygoid shelf.






ACKNOWLEDGEMENT: Funds for this project are provided by an NSF Division of Biological Infrastructure, Program in Biological Databases and Information grant (DBI 0446224) presented to FR, GME,GR, AM,NJ, PJ, CJ, and RVE.



Each cell of the character matrix is linked to a collection of objects stored in Morphbank.

(Objects in Morphbank can be images, publications, annotations, specimens, locations, etc.).



Each image is documented with information regarding the specimen (in the case of vertebrate fossils this will include osteological and geological data).

Character 16, State 1

Ventral margin of jugal rostral process articulates flush with lateral margin of ectopterygoid shelf.



Annotations, such as arrows and explanations of characters, can be added to the images to explain one's interpretation of the morphological character states.